



The UK's ONLY
spa pool
manufacturer

RotoSpa



BUY BRITISH WITH CONFIDENCE

35 Boldmere Road, Boldmere, Sutton Coldfield B73 5UY
0121 354 3428 | sales@rotospa.co.uk | www.rotospa.co.uk  



GOLD AWARD WINNER
for Hot Tubs in a holiday setting

RotoSpa



BUY BRITISH WITH CONFIDENCE

Our Story

Rotospa, the UK's only spa pool manufacturer was born back in 2003, influenced by the needs of a family member. From the humble beginnings of 2 people designing, building, selling and delivering our spas, Rotospa has become the name synonymous with reliability, durability and portability within the wet leisure industry.

Multi award winning Rotospa feature an innovative moulding process, meaning our unique Rototherm insulation is moulded at the same time as the main shell, creating a fully insulated, self-supporting monocoque spa shell that will not deteriorate. Simply put, Rotospa are the strongest spas available on the UK market, they are designed to last a lifetime! World class quality components are fully accessible due to the fact the insulation is part of the structure, massively reducing maintenance times without compromising energy efficiency.



Our range of Holiday Park Spas were developed as a result of us identifying that there were distributors selling domestic spas into commercial environments such as holiday parks. We soon realised that the domestic spa was not fit for purpose. We identified that as a UK manufacturer there was an opportunity for us to develop the first holiday park spa that was truly fit for purpose and fully compliant to HSG282

We developed relationships with holiday park owners to understand their needs.

We then spent time with the maintenance teams to understand the issues they faced with the day to day running and maintenance of the spas and what was needed to be improved. The result was a reliable, durable, energy efficient, low maintenance truly fit for purpose spa for your holiday business setting.

Our philosophy remains unchanged, and we are always working in partnership with our customers to ensure we are reactive to their needs and evolving our product range to be fully compliant with HSE and industry regulations. Buy smart Buy British!



GOLD AWARD WINNER
for Hot Tubs in a holiday setting

Key facts...



Holiday makers expect spas and they are the number one requirement in online searches



RotoSpas increase income from accommodation by up to 40%



RotoSpas increase occupancy by up to 25%



RotoSpas drive out-of-season bookings

“ We have fitted numerous RotoSpa units across our parks. We have seen a significant improvement in bookings and tariff for those units. The RotoSpa product is fantastic, it is easily fitted and cared for. A genuinely quality product that has helped hundreds of our guests have a fantastic time on holiday with us.
Sand Le Mere Holiday Park ”



GOLD AWARD WINNER
for Hot Tubs in a holiday setting

Why RotoSpa and holiday parks go hand in hand...

EACH ROTOSPA CAN DRAMATICALLY INCREASE YOUR INCOME

Lodges/Caravans	Occupancy Fill	Weekly Rate	Occupancy (Weeks)	No Of Units	Total Occupancy Rate (Weeks)	Revenue	
Without RotoSpa	65%	£800	31	20	620	£496,000	
With RotoSpa - +25% Fill rate, +40% weekly rate	85%	£1,120	39	20	780	£873,600	
					*Excludes purchase price and running costs	Revenue Increase	£377,600


Holiday Cottages	Occupancy Fill	Weekly Rate	Occupancy (Weeks)	No Of Units	Total Occupancy Rate (Weeks)	Revenue	
Without RotoSpa	75%	£600	39	1	39	£23,400	
With RotoSpa - +25% Fill rate, +40% weekly rate	100%	£840	49	1	49	£41,160	
					*Excludes purchase price and running costs	Revenue Increase	£17,760

Glamping	Occupancy Fill	Weekly Rate	Occupancy (Weeks)	No Of Units	Total Occupancy Rate (Weeks)	Revenue	
Without RotoSpa	80%	£500	21	1	21	£10,500	
With RotoSpa - +25% Fill rate, +40% weekly rate	100%	£625	26	1	26	£16,250	
					*Excludes purchase price and running costs	Revenue Increase	£5,750



RotoSpa will provide you with a free site survey and bespoke income projection

...for your very own tailored calculation, please contact RotoSpa



What our clients say...

“ In year 3, the first year that we were able to advertise the addition of the RotoSpa, our bookings increased by almost 50% and year 4 by 80%.
The Saddle House ”

“ The addition of the RotoSpa is definitely having an impact on our enquiries and subsequent bookings. The spa is proving as stated easy to maintain, the lockable touchpad allows us to be in full control of the settings and limit our customers from altering settings.
Oaks Barn Farm ”



The ONLY UK manufacturer

- Hand-crafted spas tailored to your requirements
- With over 15 years experience, we supply hundreds of holiday parks across the UK, small or large
- Dealing straight with the manufacturer means hassle-free, value-for-money
- Immediate product availability

Easy maintenance

- ✓ 8 minute complete rapid drain
 - ✓ 8 cleaning cycles a day
 - ✓ Fast fill time
 - ✓ In-built ozone unit helping kill bacteria when filtering and decreases consumption of sanitisers used!
 - ✓ Heat time of 4 hours*
 - ✓ 24 hour continuous filtration
- *PowerSmart air source heat pump



Economically & Environmentally friendly

- RotoSpas are 100% recyclable, the most recyclable spa available in the UK
- Keeping your running costs low – RotoSpa's unique RotoTherm insulation significantly reduces heat loss and energy consumption
- RotoSpa has the smallest environmental footprint of any Spa available in the UK
- RotoSpa UK are committed to buying locally, supporting our local economy and working towards being as environmentally aware as possible
- RotoSpas use green renewable energy solutions to cut energy consumption by up to 75%
- RotoSpas can run from as little as 4 amps!, utilising our Heat Exchange option
- RotoSpa is working towards Carbon Neutral Certification




Heating RotoSpas faster...

Power Smart Heat Pumps slash running cost with 75% less energy consumption

How does it work?

Our heat pumps use refrigeration technology to extract heat from the air (even when cold) and only consume a very small amount of energy to power a fan motor and compressor. When compared to gas or electric heaters our heat pumps use a tiny portion of energy to generate the same amount of heat output, using around 75% less energy than an electric spa heater. If you run a busy site requiring fast spa turnaround times, an air source heat pump from RotoSpa guarantees fastest heat up times without extra electricity consumption.



What our clients say...

“ The heat pump units are small and attractive, they are also very quiet. We chose these units for two reasons, firstly the reduced running costs, however the best advantage for us was the fact that they require very little power to operate. This enabled us to run a glamping cabin for 4 people off a standard 16-amp supply. Power requirements will rise over time due to guests wishing to have hot tubs and as the need to charge an electric car grows, these units give us a way of coping with the increased power requirements.

Wallace Lane Farm



PowerSmart heat pumps

Speedy return on investment

With any investment purchase you want to know that it will achieve an excellent return. Installing a heat pump to your spa offers such significant savings your payback period is extremely short. Unlike other renewables, such as solar panels, which take up to 7-10 years just to reach the payback/break-even point, our SV Series heat pumps can return their cost in as little

as 2 years. As a guide, to maintain your spa water at 37°C all year round, using a 5.5kW SV Series heat pump in comparison to a standard 2kW electric heating element you will save on average £700 per year (based on one drain and refill per week). So that is a speedy return on investment. The more you drain and refill the spa due to its increased use, the more heat loss must be replenished, which increases your savings and shortens your return on investment even further.

Standard electric heater 3kW option			
Total heat up time per change-over	Weekly refill cost per annum	Maintain 37°C per annum	Total cost per annum
10 hours	£289.12	£421.48	£710.60

5.5kW heat pump option			
Total heat up time per change-over	Weekly refill cost per annum	Maintain 37°C per annum	Total cost per annum
5 hours 29 minutes	£68.12	£124.21	£192.33
Savings over electric 3kW heater per annum			£518.27

8.8kW heat pump option			
Total heat up time per change-over	Weekly refill cost per annum	Maintain 37°C per annum	Total cost per annum
3 hours 36 minutes	£56.16	£102.79	£116.10
Savings over electric 3kW heater per annum			£594.50

*Figures based on one drain and refill per week, 10°C fill temperature to 37°C set temperature, Unit cost 0.15p kWh. Heat up time and saving can vary upon ambient temperature.



Fully HSG282 compliant

RotoSpa Holiday Park spas are fully HSG282 compliant. Our spas exceed the following requirement that your business needs to adhere to:

- Turnover rate – our high quality pump turns over water in just 8 minutes
- Continuous filtration – our spas have 24 hour continuous filtration
- The plumbing configuration of our spas ensures there are no dead-ends that can lead to bacteria growth
- Continuous sanitisation – our in-line tablet feeder ensures continuous sanitation of your spa
- 8 times a day automatic cleaning process

What our clients say...

“ We had special requirements that we wanted fulfilling. We chose RotoSpa as they were able to provide the semi-commercial set up that we required, to include alternative heating options. RotoSpa fully designed and installed the set-up to meet the requirements of HSG282. ”

Clippesby Hall

“ We now operate 15 Rotospa units across our business chosen for the fact that they are manufactured in the UK and secondly that the construction of the spas allows the onsite team to quickly change any of the major component parts ensuring that the spas are always available to our lodge customers. ”

Longnor Wood Holiday Park



Installation Options

- Flexible installation to suit your needs - can be freestanding or lowered into your decking area
- RotoSpas are fully portable due to their unique design and can be moved easily by one person

Remote Connectivity

Choose our SmartLink WiFi module to enable remote connectivity to the spa via a smartphone app.

Noisy guests?

Need to silence the party?

Simply use the app to take control of the spa operation from a safe location.

The SpaLink app for your device acts as a wireless remote for your spa, enabling control over all RotoSpa accessories including pumps and temperature. The app allows complete control as if you were stood in front of the RotoSpa itself.



Push Notifications

Keep informed about the health of your spa on-site with status updates direct to your maintenance team. Using the WiFi module and smart phone app, receive error alerts allowing you to react in realtime ensuring the best possible experience for your customer. The app will clearly describe the issue and provide simple steps and solutions to resolve.



SpaLink Global

The SmartLink module provides you with the ability to seek remote technical assistance, resolving issues quickly resulting in happy customers and no refunds! If you require help to resolve an issue, activate the support PIN within the SpaLink app, providing RotoSpa access to the spa to check or adjust software settings, control and test accessories and run diagnostic checks.



Intelligent PowerSmart spa control

- ✓ Lockable touchpad
- ✓ Incorporates dynamic thermal tuning, reducing overall running costs
- ✓ Smart filtration
- ✓ Auto daily sanitize
- ✓ Remote WiFi access
- ✓ Programmable sleep period
- ✓ Heat pump interface

Free full training and support

You and your maintenance team can be truly reassured, as we provide first-class comprehensive training:

- Face to face video call technical helpline - resolve issues quickly keeping your customers happy
- Product specific technical training session
- Managing RotoSpas in holiday parks and homes
- BISHTA Water Hygiene Management Training Course*
- Service visits arranged within 48 hours
- 24hr customer service helpline and online knowledge base - assistance available when you need it!



UK manufacturer backed service and support

*BISHTA Management Training Course available at extra cost.



Pod SPA

TECHNICAL SPECIFICATION



SIZE	1820 x 1210 x 700mm Deep - Fits through doorways!
PORTABLE	Unique one-piece production method
FLEXIBLE INSTALLATION OPTIONS	Freestanding or built-into environment
WEIGHT	90kg (600kg filled)
SEATING	2-3 Person
PUMP	1.5hp, Hi Flow 2 speed pump
WATER CAPACITY	Capacity: 500 Litres / Turnover rate: every 4 minutes
FILTRATION	25 sq ft high flow skimmer filter
AUTOCLENS	24 hr circulation
ELECTRICAL SUPPLY	240V 13 Amp plug & play
HEATING OPTIONS	<ul style="list-style-type: none"> - 2kW corrosion resistant element (standard) 1.7°C heating capacity per hour - 3kW corrosion resistant element, 2.6°C heating capacity per hour - 1.1kW heat pump gives 5.5kW heating output, 4.7°C heating capacity per hour - 1.6kW heat pump gives 8.8kW heating output, 7.3°C heating capacity per hour - Heat exchanger for connection to gas, oil and biomass boilers
HYDROTHERAPY	8 x luxury hydrojets package to include the following interchangeable jets: 3 x 3" rotating massage jets, 5 x 3" directional eyeball jets
INSULATION & DURABILITY	Lockable thermal hard cover, unique ROTO-THERM spa insulation throughout entire cabinet, spa base and rear of spa shell. Hard wearing Tonka-tough spa shell.
COLOUR OPTIONS	Sandstone, granite grey, or light grey with teak or dark grey wood effect panels
DRAINDOWN, CLEAN, REFILL & HEAT-UP TIME	230 minutes
OTHER FEATURES AS STANDARD	<ul style="list-style-type: none"> - Inline Disinfectant Tablet Feeder - Ozone Sanitation - 100% Circulation Plumbing: spa water is circulated through all pipes and jets all of the time, no booster pump circuits for water to sit in - Silent Air Boost Control: increases hydrotherapy by injecting air into water stream - Intelligent PowerSmart Spa Control System: incorporating dynamic thermal tuning, smart filtration, auto daily sanitise, remote WiFi access, programmable sleep period, heat pump interface - Lockable Touchpad: user controls pump and light functions only - Lighting: LED master light and illuminated touch pad - Remote support: WiFi enabled - Insulated lockable thermal hard cover - keeps your heat in and everything else out
COLOUR OPTIONS	



SIZE	2000mm Diameter x 740mm Deep	5-6 PERSON 
PORTABLE	Unique one-piece production method	
FLEXIBLE INSTALLATION OPTIONS	Freestanding or built-into environment	
WEIGHT	160kg	
SEATING	5 Persons	
PUMP	2 Speed Hi-Flow pump	
WATER CAPACITY	Capacity: 1000 Litres / Turnover rate: every 8 minutes	
RAPID DRAIN	Drain down time 8 minutes	
FILTRATION	35 sq.ft top access surface skimmer filter	
AUTOCLENSE	24 hr circulation	
ELECTRICAL SUPPLY	13 Amp - 25 Amp dependent on heater choice	
HEATING OPTIONS	<ul style="list-style-type: none"> - 2kW corrosion resistant element (standard) 1.7°C heating capacity per hour - 3kW corrosion resistant element, 2.6°C heating capacity per hour - 1.1kW heat pump gives 5.5kW heating output, 4.7°C heating capacity per hour - 1.6kW heat pump gives 8.8kW heating output, 7.3°C heating capacity per hour - Heat exchanger for connection to gas, oil and biomass boilers 	
JETS	26 x Luxury hydro jet package of directional, spinning, pulsing and direct jets with added diverter valve to direct water through all seating positions or through the 15 jet Ultra master massage jet in the captain's seat	
INSULATION & DURABILITY	Lockable thermal hard cover, unique ROTO-THERM spa insulation throughout entire cabinet, spa base and rear of spa shell. Hard wearing Tonka-tough spa shell.	
COLOUR OPTIONS	Sandstone, granite grey, or light grey with teak or dark grey wood effect panels	
DRAINDOWN, CLEAN, REFILL & HEAT-UP TIME	230 minutes	
OTHER FEATURES AS STANDARD	<ul style="list-style-type: none"> - Inline Disinfectant Tablet Feeder - Ozone Sanitation - 100% Circulation Plumbing: spa water is circulated through all pipes and jets all of the time, no booster pump circuits for water to sit in - Silent Air Boost Control: increases hydrotherapy by injecting air into water stream - Intelligent PowerSmart Spa Control System: incorporating dynamic thermal tuning, smart filtration, auto daily sanitise, remote WiFi access, programmable sleep period, heat pump interface - Lockable Touchpad: user controls pump and light functions only - Lighting: LED master light, illuminated touch pad & illuminated top side controls - Remote support: WiFi enabled - Insulated lockable thermal hard cover - keeps your heat in and everything else out 	

COLOUR OPTIONS



SIZE	1990mm x 1990mm x 770mm Deep	5-6 PERSON 
PORTABLE	Unique one-piece production method	
FLEXIBLE INSTALLATION OPTIONS	Freestanding or built-into environment	
WEIGHT	172kg	
SEATING	5 Persons	
PUMP	2 Speed Hi-Flow pump	
WATER CAPACITY	Capacity: 1050 Litres / Turnover rate: every 8 minutes	
RAPID DRAIN	Drain down time 8 minutes	
FILTRATION	50 sq.ft top access cartridge pressure filter	
AUTOCLENSE	24 hr circulation	
ELECTRICAL SUPPLY	13 Amp - 25 Amp dependent on heater choice	
HEATING OPTIONS	<ul style="list-style-type: none"> - 2kW corrosion resistant element (standard) 1.7°C heating capacity per hour - 3kW corrosion resistant element, 2.6°C heating capacity per hour - 1.1kW heat pump gives 5.5kW heating output, 4.7°C heating capacity per hour - 1.6kW heat pump gives 8.8kW heating output, 7.3°C heating capacity per hour - Heat exchanger for connection to gas, oil and biomass boilers 	
JETS	16 x Luxury hydro jet package including directional, spinning, pulsing and direct jets	
INSULATION & DURABILITY	Lockable thermal hard cover, unique ROTO-THERM spa insulation throughout entire cabinet, spa base and rear of spa shell. Hard wearing Tonka-tough spa shell.	
COLOUR OPTIONS	Sandstone, granite grey, or light grey with teak or dark grey wood effect panels	
DRAINDOWN, CLEAN, REFILL & HEAT-UP TIME	230 minutes	
OTHER FEATURES AS STANDARD	<ul style="list-style-type: none"> - Inline Disinfectant Tablet Feeder - Ozone Sanitation - 100% Circulation Plumbing: spa water is circulated through all pipes and jets all of the time, no booster pump circuits for water to sit in - Silent Air Boost Control: increases hydrotherapy by injecting air into water stream - Intelligent PowerSmart Spa Control System: incorporating dynamic thermal tuning, smart filtration, auto daily sanitise, remote wi-fi access, programmable sleep period, heat pump interface - Lockable Touchpad: user controls pump and light functions only - Lighting: LED master light, illuminated touch pad & illuminated top side controls - Remote support: WiFi enabled - Insulated lockable thermal hard cover - keeps your heat in and everything else out 	

COLOUR OPTIONS

